

Competitive Bid Procurement Items
December 2006

<u>Item</u>	<u>Manufacture/Product</u>	<u>REMARKS</u>	<u>ACTION</u>
Acoustic Ceiling Tile	Armstrong or approved equal	Equal tiles will be acceptable, unless pattern can not be matched for addition or renovation project	
Cipher Locks (code locks)- stand alone	Alarm Lock Company or approved equal		
Day Tanks for Emergency Generators	Simplex or approved equal	Equals accepted based on conformance to technical specs and testing standards	
Automatic Transfer Switch	Zenith or approved equal	FMD to identify other preferred equals for listing in specs	FMD
Dry Sprinkler Valves	Victaulic (self restorable) or approved equal	FMD to identify other preferred equals for listing in specs	FMD
Submersible Fuel Pump	Red Jacket or approved equal	Equals accepted based on conformance to technical specs and testing standards	
UST caps and overfill accessories	Ohio Pipeworks or approved equal	Equals accepted based on conformance to technical specs and testing standards	
EMCS Systems	Automated Logic, Ivensys, Siemens, or Trane (no equals or substitutions)	Competitive bidding provided, no equals accepted due to need for consistency and efficiency in training and parts	
Emergency Generators	Katolite, Onan, Caterpillar (no equals or substitutions)	Competitive bidding provided, no equals accepted due to need for consistency and efficiency in training and parts	
Paint	Duron, Sherwin Williams, Benjamin Moore or approved equal	Equals accepted based on conformance to technical specs, testing standards, and County performance experience	
Door Hardware	Schlage, Corbin, Sargent (no equals or substitutions)	Competitive bidding provided, no equals accepted due to need for consistency and efficiency in training and parts	
Fire Alarm Systems	Siemens, Simplex or approved equal	FMD to identify a third preferred vendor	FMD
Roof Top Units- and Split System HVAC Equipment	Trane, AAON, Seasons 4 (no equals or substitutions)	Competitive bidding provided, no equals accepted due to need for consistency and efficiency in training and parts	
Non Condensing	Burnham, Cleaver Brooks (no	FMD to identify a third acceptable	FMD

Boilers	equals or substitutions)	vendor to provide competitive bidding. This will permit competitive bidding no equals or substitutions	
Condensing Boilers	Aerco or Weisman or equal	Equals accepted based on conformance to technical specs, testing standards, and County performance experience. FMD to identify reasonable threshold for turndown ratio as technical criteria for potential equals	FMD
Faucets	Moen, American Standard, Kohler (no equals or substitutions)	Competitive bidding provided, no equals accepted due to need for consistency and efficiency in training and parts	