BEAM SCHEDULE

Beam Mark	No Req	Unsupported Span	Total Length of Beam	Beam Shape	wt Per Ft	Beam Ht.	Flange Width	Remarks
A	4	37'-0"	38'-0"	Both WF	59#	21"	8.23"	
C	1	20'-2"	21'-2"	Both WF	25#	12"	6.5"	
D	1	16'-10"	18'-0"	Both WF	25#	12"	6.5"	
B	2	20'-2"	21'-8"	Am. Std	50#	12"	3.417"	Double Beam with Stiffeners 4'-0c. Fire Proof With 2" Concrete

BEARING PLATE SCHEDULE

A Beam 12"X12"X1" Plate on both ends
B Beam 12"X15"X1" Plate on both ends
C+D Beam 10"X10"X1" Plate on both ends

LINTEL SCHEDULE

Lintels over all Doors and Windows in 12" walls to be 2-4"X4"X$\frac{5}{16}$"L & 1-6"X4"X$\frac{5}{16}$"L JJL
8" Walls to be 2-4"X6"X$\frac{5}{16}$" JL
Unless otherwise Designated

FOOTING

All Footings Under Load Bearing Walls to be 24" wide X 10" thick.
Footings Under Pilasters to be 6" wider then Pilaster
Soil Bearing 4000# Per sq ft
Concrete 1-2-4 Mix



GENERAL NOTE

Bond all New Brick work to Old.
Every 5th Course to be a Header Course
Use Portland Cement Mortar 1-3 Mix not over 10% Lime.
Place Slate Course in all Walls above GradeLine
All walls to have a ¾" coat of parging below grade line.
All outside trim & Cornish to match that of existing building.
All Ceilings and Roofs to be Insulated
Built up Roof: 5ply asphalt felt with gravel surface
All walls in Dinning Room, Mess Hall, Food Prep. Room and Kitchen to be Tiled with Salt Glazed Wall Tile 1¾" Soap 5"X12"
Windows removed from old Bldg. to be used in new additions as far as possible.
All Beams Fire Proofed with 2" Concrete

STRUCTUAL PLANS for ADDITIONS

CONSTRUCTION ENGINEER'S OFFICE
D.C. PENAL INSTITUTIONS, LORTON, VA.
Plan of Roof and Schedules to Mess Hall & Kitchen-D.C. Workhouse, Occoquan, Va.
DRAWN & TRACED by: Chas Johnson. CHECKED by: JJS. DATE: 8/27/42
Scale: ⅛"-1'-0" PROTECT# SHEET # 3