COLUMN SCHED

Mark	Size	Reinforcement	Elev. Bottom
1	18" Sq.	4-#6 1st Vert. 1/4 Ties @ 6" oc	221.00
2	18 Sq.	4-#6 1st Vert. 1/4 Ties @ 8" oc	222.00
3	21" Sq.	8-1" Vert. 1/4" Ties @ 8" oc	222.00
4	1-6" x 2-3 Brick	—	221.50

FOOTING SCHEDULE

Mark	Size	Thick	Reinforcement	Block	Elev. Bottom	Remarks
1	5'-0" x 5'-0"	12"	13-#5 each way	30" x 30" x 12"	219.00	
2	3'-9" x 3'-9"	12"	8-#5 ea. way	—	221.00	
3	6'-6" x 6'-6"	17"	17-#5 ea. way	33" x 33" x 12"	219.58	
4	4'-4" x 5'-1"	12"	13-#5 long way 15-#5 short "	—	220.50	







TYPICAL COLUMN FOOTINGS



TYPICAL STEP IN CONC. FOOTING FOR WALLS



SECTION E-E

Scale: ½" = 1'-0"

FOUNDATION PLAN

SCALE ⅛" = 1'-0"

FIN. BASEMENT FLOOR Elev. 222.50

NOTE: Concrete Wall Footings 12" thick with 6" Projections, unless otherwise shown or indicated. All Footings to rest on solid undisturbed Ground irrespective of the Elevations shown.

APPROVED BY THE COMMISSIONERS OF THE DISTRICT OF COLUMBIA SITTING AS A BOARD

.....SECRETARY.

REVISIONS

WORK RECORD

DRAWN BY ... M.

TRACED BY ... S.

CHECKED BY ... C.H.P.

DATE .....

SHEET

BUILDING MESS HALL - WALLED GROUP

LOCATION D. C. PENAL INSTITUTIONS - LORTON - VA.

OFFICE OF MUNICIPAL ARCHITECT - WASHINGTON, D. C.

CHIEF OF ARCHITECTURAL DIVISION ... DATE 7-17-36

CHIEF OF STRUCTURAL DIVISION ... DATE 7-24-36

CHIEF OF MECHANICAL DIVISION ... DATE 7-17-36

MUNICIPAL ARCHITECT ... DATE 7-17-36

FILE NO. 43-6

DRWG. NO. S 1