

**Table 1. Riverbend's Dragonflies  
February 2005  
Karen Sheffield**

<b>No. of species</b>	<b>Common Name</b>	<b>Scientific Name</b>	<b>Global Rank</b>	<b>State Rank</b>	<b>Other Notes</b>
1	Arrow Clubtail	<i>Stylurus spiniceps</i>	G5	S3	
2	Black Saddlebags	<i>Tramea lacerata</i>			
3	Black-shouldered spinyleg	<i>Dromogomphus spinosus</i>			
4	Blue Dasher	<i>Pachydiplax longipennis</i>			
5	Cherry-faced meadowhawk	<i>Sympetrum internum</i>			unusual
6	Cobra Clubtail	<i>Gomphus vastus</i>			
7	Common Green Darner	<i>Anax junius</i>			
8	Common Whitetail	<i>Libellula lydia</i>			
9	Cyrano Darner	<i>Nasiaeschna pentacantha</i>	G5	S3	
10	Dragonhunter	<i>Hagenius brevistylus</i>			
11	Eastern Amberwing	<i>Perithemis tenera</i>			
12	Eastern Pondhawk	<i>Erythemis simplicicollis</i>			
13	Eastern Ringtail	<i>Erpetogomphus designatus</i>	G5	S3	
14	Elusive Clubtail/ Russet-Tipped	<i>Stylurus notatus/plagiatus</i>	G3/G5	S1/S3	see below
15	Fawn Darner	<i>Boyeria vinosa</i>			
16	Great Blue Skimmer	<i>Libellula vibrans</i>			
17	Illinois River Cruiser	<i>Macromia illinoiensis</i>			
18	Lancet Clubtail	<i>Gomphus exilis</i>			
19	Laura's Clubtail	<i>Stylurus laurae</i>	G4	S2	
20	Midland Clubtail	<i>Gomphus fraternus</i>	G5	S1	
21	Ocellated Darner	<i>Boyeria grafiana</i>	G5	S3	
22	Painted Skimmer	<i>Libellula semifasciata</i>			
23	Prince Baskettail	<i>Epicordulia princeps</i>			
24	Shadow Darner	<i>Aeshna umbrosa</i>			
25	Slaty Skimmer	<i>Libellula incesta</i>			
26	Spangled Skimmer	<i>Libellula cyanea</i>			
27	Spine-Crowned Clubtail	<i>Gomphus abbreviatus</i>	G3G4	S2S3	
28	Stream Cruiser	<i>Didymops transversa</i>			
29	Stygian Shadowdragon	<i>Neurocordulia yamaskanensis</i>	G5	S2	
30	Swamp Darner	<i>Epiaeschna heros</i>			
31	Twelve-Spotted Skimmer	<i>Libellula pulchella</i>			
32	Umber Shadowdragon	<i>Neurocordulia obsoleta</i>	G5	S3	
33	Widow Skimmer	<i>Libellula luctuosa</i>			
34	Autumn (Yellow-legged) meadowhawk	<i>Sympetrum vicium</i>			

Five cast skins of a clubtail species have proven difficult to identify. The species is either the Elusive clubtail (G3 – globally rare, S1 – state rare) or the Russet-tipped clubtail (S3 – watch listed). More study is required on these.

Key:

- S1 Extremely rare and critically imperiled with 5 or fewer occurrences or very few remaining individuals i
- S2 Very rare and imperiled with 6 to 20 occurrences or few remaining individuals in Virginia
- S3 Rare to uncommon in Virginia with between 20 and 100 occurrences; may be somewhat vulnerable
- G1 Extremely rare and critically imperiled with 5 or fewer occurrences or very few remaining individuals ;
- G2 Very rare and imperiled with 6 to 20 occurrences or few remaining individuals globally
- G3 Either very rare and local throughout its range or found locally in a restricted range; or vulnerable to c
- G4 Common and apparently secure globally
- G5 Very common and demonstrably secure globally

in Virginia

to extirpation in Virginia  
globally

extinction because of other factors