

INDEX

SUBJECT	SECTION	PLATE	TABLE
2-year storm routing	6-1305.8B(6)		6.3
10-year storm routing	6-1305.10		6.4
-A-			
ACP	6-0903		6.8
ACP, VDOT	6-0903		6.8
Accessibility	1-0502		
Accessibility provisions	2-0212.20		
Adequate channel, definition	6-0203.3		
Anderson formula	6-0804		6.5
-B-			
BMP:			
— Credit for maximizing design	6-0402.3		
— Maintenance design considerations	6-1306		
— Manual	6-0402.2		
— Phosphorus removal efficiencies	6-0402.3		6.3
Backstop plan and elevation	8-0300	25	8
Backstop post and footing	8-0300	26	8
Ballfields design information	8-0300	23	8
Baseball and Babe Ruth infield	8-0300	21	8
Basketball backstop	8-0300	43	8
Bleacher pad plan	8-0300	24	8
Bonding Committee	2-0601.6		
Bonds and agreements:	2-0600		
— Corporate bonds	2-0601.4A		
— Extensions of agreements	2-0602		
— Non-corporate bonds	2-0601.4B		
— Reduction of bonds or securities	2-0602		
— Release	2-0603		
— Replacement of agreements	2-0602		
Bypass flow in streets	6-1103.3		
-C-			
CIP	6-0903		6.8
CMP	6-0903		6.8
Cash deposit	2-0601.4B(1)		
Channel:			
— Charts	6-1003		
— Design calculations	6-1008		
— Design criteria	6-1004		
— Easement width	6-1005.2E		6.15A
— Energy loss at transitions	6-1007.2A		
— Materials	6-1006		6.16
— Open	6-1000		
— Size and shape	6-1005		
Chesapeake Bay:			
— General information	6-1701		
— Map	6-1701.2		
— Policy on what may be done in preservation areas	6-1700		
— RMA	6-0401.2		
— RPA	6-0401.2		

INDEX

SUBJECT	SECTION	PLATE	TABLE
— Use regulations	6-1702		
— WQIA	6-1703		
Clearing requirements	2-0203		
Closed conduit system	6-0900		
Code authorization for PFM	2-0903		2-1
Condominium conversion regulations	3-0000		
— Construction plans	3-0203		
— Plats and plans	3-0103		
— Review procedures	3-0200		
Conflicting provisions	1-0500		
Conservation:			
— Agreement and deposit submission	2-0700		
— Conservation plan requirements	12-0500		
— Landscape plans	12-0515		
Cost estimate schedule	2-0207		
Culverts:	6-1200		
— Design flow	6-1201		
— Discharge, 15"	6-1305.8B(5)	43-6	
— Size	6-1202		
Curb & gutter	7-0103		
Curb & gutter & sidewalk, standard combination	7-0101	9-7	
Curb cut ramps:	7-0401		
Curb inlets:	6-1102		
— Capacity at low point in grade	6-1103.12	31-6	
— In VDOT right of way	6-1102		
— Minimum throat	6-1103		
— On grade design chart	6-1103.11	28-6, 29-6	
— On private streets and parking lots	6-1103		
— Spread and depth of gutter flow vs. cross slope	6-1103	30-6	
Cut sheets, construction	2-0210		
 -D-			
Dams:			
— County dam safety regulations	6-1602		
— Design and construction	6-1600		
— Design guidelines for spillways	6-1604		
— Geotechnical design guidelines for stormwater management reservoirs with earth dams	6-1605		
— Hydrologic design criteria for dams regulated by the County	6-1603		
— Maintenance and safety design requirements	6-1606		
— Minimum required construction standards, specifications and inspection requirements	6-1607		
— Operation, maintenance, and inspection guidelines	6-1608		
— Virginia dam safety regulations	6-1601		
Debarment of surety	2-0605		
Debris landfill:	5-0000		
— Access	5-0103		
— Automobiles	5-0202		
— Drainage and groundwater requirements	5-0102		
— Fences	5-0104		
— Noise	5-0104		

INDEX

SUBJECT	SECTION	PLATE	TABLE
— Permitted materials	5-0200		
— Restoration	5-0105		
— Screening	5-0104		
— Soil and grading requirements	5-0101		
Default procedures	2-0604		
Delineators, road edge	7-1100	36-7	
Detention pond, design example	6-1305.8		
Developer performance	2-0601.5		
Ditch:			
— Paved ditch construction specifications	6-1012		
— Paved, type A, B, C & D	6-1002.2G(5)	20-6	
— Sample paved ditch computations	6-1009, 6-1010, 6-1011		
— Side and median	6-1002		
— Time of concentration to use	6-0111		4-6
— Transition, paved or sodded ditch to yard inlet	6-1002.2G(5)	20-6	
Double stacking, pipestem lot layout	2-0103.1D		1-2
Drain, nomograph for computing required size drain, flowing full	6-0902.2		8-6
Drainage:			
— Analysis of Downstream	6-0203		
— Honoring Natural Divides	6-0202.2A		
— Hydrologic design	6-0800		
— Improvements, proportionate cost policy	6-0600		
— In residential areas	6-1109		
— Narrative description	6-0204		
— Policy and requirements for adequate drainage	6-0200		
— Policy on detention of stormwaters	6-0300		
— Policy on off-site drainage improvements	6-0500		
— Policy on proportionate cost of off-site improvements	6-0600		
— Small private system	6-0205		1-6
— Stormwater runoff quality control criteria	6-0400		
— Systems	6-0101		
Driveways, common	7-0900		
Due diligence	1-0400		
Dustless surface waiver	7-0504		
 -E-			
E&S:			
— Applicability of VA E&S handbook	11-0402		
— Biotechnical slope and bank protection	11-0409		
— Biotechnical slope protection	11-0409.6	6-11	
— Controls	2-0108		
— Control measures for building permit applications and small area grading permits	11-0200		
— Data availability	11-0110		
— Erosion factor	11-0408.8		
— FCPA lands, minimizing erosion and other drainage related problems	11-0300		
— General land conservation notes	11-0406		
— General plan preparation	11-0102		
— General soil map of County	11-0408.1	3-11	
— General soil map of County, symbols	11-0408.11	4-11	

INDEX

SUBJECT	SECTION	PLATE	TABLE
— Land conservation notes, linear projects	11-0407		
— Plan review and ordinance enforcement.....	11-0400		
— Sediment basins, maximum probable trap efficiency	11-0109.7	1-11	
— Sediment trap, pipe outlet			
— (1-3 acres of disturbed area).....	11-0109.7	2-11	
— Soil profile and engineering	11-0408.8		
— Soil profile, generalized stratigraphic.....		5-11	
— Soils of the County	11-0408		
— Soils of the County, numerical index	11-0408.10		11.2
— Specifics for reduction of soil loss and sediment deposit.....	11-0404		
— Stage 1.....	11-0103		
— Stage 2.....	11-0104		
— Stage 3.....	11-0105		
— Stage 4.....	11-0106		
— Stage 5.....	11-0107		
— Stage 6.....	11-0108		
— Stage 7.....	11-0109		
— Subdivision and site plan preparation.....	11-0100		
— Two phase plan.....	11-0104		
EGL:			
— Closed conduit.....	6-0904	12-6	
— Closed conduit junction.....	6-0904.12	15-6	
— Open channel.....	6-1007	24-6	
— Open channel transition and/or horizontal curve.....	6-1007.2C	26-6	
ESRC established.....	1-0300		
Energy dissipation devices.....	6-1107		
Energy gradients.....	6-1007		
Energy loss coefficients, curved channels.....	6-1007.2B	25-6	
Exceptions:			
— Clearing/grading prior to plan approval	2-0203.4		
— Conservation plan submission.....	12-0602		
— Corrugated metal pipe, use of.....	6-0903		6.8
— Floodplain, filling/grading.....	2-0102.6		
— Ground cover, industrial/commercial.....	6-1503.5		
— Ground cover, residential.....	6-1503.3C		
— Landfill, off site surface water	5-0102.3		
— Maximum grade of street	7-0404.6A		
— Minimum cover for storm sewer pipe	6-0902.2H		
— Minimum grade for curb & gutter.....	7-0404.6A		
— Open space, dedication of 10% of gross area.....	2-0106.1		
— Paved ditch construction specifications.....	6-1012.1		
— Pipestem, erection of structure within 25 feet	2-0103.5		
— Prefabricated bend sections in VDOT right of way.....	6-0902.2F		
— RPA encroachment.....	6-1702.1		
— RPA, retention/detention/BMP facility	6-0303.3		
— Sanitary manholes in fill areas, special design	10-0102.5M		
— Storm drainage, closed system.....	6-1109.1B		
— Winter RUP.....	6-1004.2		
Exemptions:			
— Cul de sacs on dead end streets	7-0406.8		
— RPA, development in	6-1702.2		
— Underground utility installation	2-0402		

INDEX

SUBJECT	SECTION	PLATE	TABLE
— WQA.....	6-1703.1		
Exfiltration testing.....	10-0105.5		
-F-			
FCPA:			
— Acceptance of property	2-1102.4		
— Easements.....	2-1102.2		
— Easements or construction activity	2-1103		
— Land conveyed to FCPA	2-1102		
— Monumentation and record plats	2-1102.3		
— Stormwater management areas and facilities	2-1102.5		
— Trails and other facilities	2-1104		
Fee schedule.....	2-1000		
Fence, outfield.....	8-0300	28-8	
Fence, sideline and gate, concrete pad	8-0300	27-8	
Fire flow:.....	9-0202.2F(1)		9.2
— Coefficient.....	9-0202.2G(1)		9.3
— Exposure surcharges.....	9-0202.2G(6)		9.5
— Maximum.....	9-0202.2G(2)		9.4
— Occupancy reductions	9-0202.2G(8)		9.6
Fire hydrants:.....	9-0103		
— Location.....	9-0103	1-9	
— Protection in area where island cannot be constructed.....	9-0103	5-9	
— Standard island, parking lot.....	9-0103	2-9 thru 4-9	
Fire lanes.....	9-0202	6-9	
— Designation, sign specification and curb designation.....		6-9	
Fire Marshal requirements	9-0200		
Flood frequency curve for selected degrees of basin imperviousness.....	6-0804.2		6-6
Floodplain:			
— Alteration.....	6-0702		
— Easement	6-1405		
— Easement and water surface requirements.....	6-1401		
— Energy loss	6-1403	45-6	
— Flows.....	6-1402		
— Methods and guidelines for calculations	6-1403		
— Use regulations.....	6-0703		
— Warning and disclaimer.....	6-0705		
— Policy on what may be done in floodplains.....	6-0700		
Flows crossing streets	6-1103.7, 1103.8		
Flows	6-1103.9		
Footing design.....	4-0402		
-G-			
GRB (Geotechnical Review Board).....	4-0600		
Gabions:			
— Typical section, open channel	6-1002	21-6	
— Typical section, revetment with toe wall.....	6-1012.1V	22-6	
— Typical section, weir	6-1002	23-6	
General drainage improvement program.....	6-0603		
General information	1-0000		
Geotechnical (see also Soil):			

INDEX

SUBJECT	SECTION	PLATE	TABLE
— Construction plans	4 0400		
— Engineering analysis and recommendations	4 0303.8		
— Guidelines	4 0000		
— Inspection	4 0502		
— Investigations, purpose	4 0302		
— Laboratory testing	4 0303.7		
— Review procedures	4 0603		
— Review Board	4 0600		
Grading requirements	2 0203		
Grandfather provisions	1 0400		
Grate inlets	6 1106		
Guardrails	7 0402		
Gutter, spread and depth of	6 1103.1	30 6	
Gutter, velocity and flow time in	6 0803.3C(2)		5 6
-H-			
HGL:			
— Closed conduit	6 0905		12 6
— Closed conduit junction	6 0905.12		15 6
— Open channel	6 1007		24 6
Headwater depth for culverts	6 1202.4		
Hydraulic gradients	6 1007		
Hydraulics, small private drainage system	6 0205.4		6.1
Hydrologies, acceptable	6 0801		6.4
Hydrologies, other	6 0805		6.4
Hydrologic design	6 0800		
Hydrology, small private drainage system	6 0205.4		6.1
-I-			
Impervious cover in watersheds	6 0204.4		6.1
Improvements, subdivisions	2 0501		
Incremental unit hydrograph	6 0806		6.6
Infiltration testing	10 0105.4		
Inflow hydrograph, 10-year, 2-hour			
5 minute time of concentration	6 1305.10B		44 6
Inlet:			
— Design calculations	6 1110		
— In sump, hydraulic capacity of	6 1106		36 6
— On grade, hydraulic capacity of grate	6 1106		35 6
— Times	6 0805		6.5
— Throat	6 1103.6D		
Inspections:			
— Geotechnical	4 0502		
Intensity duration frequency curves	6 1305.10A(1)		3.6
-J-			
-K-			
-L-			
Lag time as a function of length-slope index	6 0804.5		7 6
Large lot subdivisions	2 0110		

INDEX

SUBJECT	SECTION	PLATE	TABLE
Letters of credit.....	2-0601.4B(2)		
Little league infield.....	8-0300.....	20-8	
Lot frontage and layout.....	2-0102		
Lot configuration.....	2-0212.21		
Low Impact Development:			
— Bioretention Filters and Basins.....	6-1307.....	78-6 thru 86-6	
— Vegetated Swales.....	6-1308.....	87-6 thru 89-6	
— Tree Box Filters.....	6-1309.....	90-6	
— Vegetated Roofs.....	6-1310.....	91-6 & 92-6	
— Reforestation.....	6-1311		
 -M-			
Mail box location.....	7-1100.....	35-7	
Manhole:			
— Bolted cover, gray iron.....	10-0102.5D(7).....	13-10	
— Frames and covers.....	6-1105		
— Frames and covers, for use in easements outside VDOT			
— right of way.....	6-1105.2.....	34-6	
— Precast concrete, flat top.....	10-0102.5D(7).....	6-10	
— Precast concrete, reducer.....	10-0102.5D(7).....	14A-10	
— Precast doghouse base.....	10-0102.5D(7).....	5-10	
— Standard roadway cover.....	10-0102.5D(7).....	9-10	
— Standard roadway frame.....	10-0102.5D(7).....	8-10	
— Step detail.....	10-0102.5D(7).....	14-10	
— Typical 4 foot precast concrete.....	10-0102.5D(7).....	3-10	
— Typical 4 with inside drop connection.....	10-0102.5E.....	15-10	
— Typical 4 with inside drop connection, special notes.....	10-0102.5E(1)		
— Typical 5 foot and 6 foot, precast concrete with 4 foot stack.....	10-0102.5D.....	4-10	
— Typical alternate 4 foot, block or brick for existing pipes of 21 inch maximum.....	10-0102.5D.....	7-10	
— Watertight cover.....	10-0102.5D.....	11-10	
— Watertight/locking frame.....	10-0102.5D.....	10-10	
Manning <i>n</i> for vegetal lined channels.....	6-1006.....		6.16
Mass diagram.....	6-1303.6A(3).....	39-6	
Mass diagram analysis.....	6-1303.6A(3).....		6.20
Metric PFM.....	Foreword		
Metric requirement.....	1-0800		
Metric Conversion Table.....	13-0400		
Modifications:			
— 50% phosphorus removal requirement in WSPOD.....	6-0401.1		
— BMP requirements.....	6-0401.2E		
— Dustless surface.....	7-0504		
— Fire protection requirements.....	9-0202.2I		
— Northern Virginia BMP Handbook.....	6-0402.2		
— Plates.....	1-0601		
— Roof drains & downspouts in Cretaceous Age			
— deltaic clays.....	4-0301.3		
— RPA boundaries.....	6-1701.3		
— Ten year tree canopy requirements.....	12-0502.1D, 12-0511.5, 12-0513		
— Tree conservation plan submission requirements.....	12-0503		

INDEX

SUBJECT	SECTION	PLATE	TABLE
— Tree inventory and condition analysis.....	12-0503.3		
— WQIA.....	6-1703.3		
Monuments.....	2-0105		
Mow strip sections.....	8-0300	29-8	
Multi-use court plan.....	8-0300	42-8	
-N-			
NRCS (formally SCS) hydrology.....	6-0802		6.4
NRCS.....	6-0903		6.8
Noise abatement facilities.....	7-0106		
North Arrow.....	2-0212.3		
-O-			
Off-site drainage improvements, policy.....	6-0500		
Open space.....	2-0106		
Overlot grading in residential areas.....	6-1503		
-P-			
PCCP.....	6-0903		6.8
PFM:			
— Definitions.....	13-0300		
— Established.....	1-0200		
— Interpretations.....	13-0200		
— Structure.....	13-0100		
Parking:			
— Accessible.....	7-0802.4		
— Accessible signs.....	7-0802.4	32A-7 thru 32C-7	
— Categories.....	7-0801		7.5
— Geometries and standards.....	7-0800		
— Lots and aisles.....	7-0502		
— Motorcycle spaces.....	7-0802.3		
— Parallel space and aisle sizes.....	7-0802.1		7.6
— Universal size car spaces.....	7-0802.2		7.7
— Van accessible signs.....	7-0802.4	32C-7	
Parkland development conditions.....	2-1100		
Pavement design.....	7-0500		
Pereolation trench.....	6-1303	41A-6	
Perennial Streams.....	6-1700		
Permits:			
— County.....	2-0803		
— VDOT.....	2-0802		
Pipe:			
— Bedding, alternate "A".....	10-0103.7		18-10
— Bedding, alternate "B".....	10-0103.7		19-10
— Concrete line, minimum diameter permitted for			
— horizontal curvature.....	6-0902.2C, 6-0906	16-6, 17-6, 18-6	6.9 thru 6.15
— Cracked or sheared.....	10-0104.7E(3)		27-10
— Crushed section of pipe and slipped or leaking joint.....	10-0104.7E(4)&(5)		28-10
— Hole in pipe above springline.....	10-0104.7E(1)		25-10
— Hole in pipe below springline.....	10-0104.7E(2)		26-10
— Typical trench in rock.....	10-0103.7		20-10
Pipestem driveway:.....	7-0900		

INDEX

SUBJECT	SECTION	PLATE	TABLE
— Paving, asphalt concrete	7 0503	23 7	
— Paving, concrete	7 0503	24 7	
— Signs	7 0107	19 7	
Pipestem layouts	2 0103.1D	1 2	
Pipestem lots	2 0103		
Phosphorous removal efficiencies	6 0402.3		6.3
Plan and profiles, required information	2 0212		
Plates	1 0600		
Porous asphalt pavement	6 1304		
Problem soils	4 0201.3		
Pro rata share:			
— Off site drainage	6 0502.2		
— Payments	6 0604		
— Studies	6 0602		
Public water supply agency data	9 0102		
 -Q-			
Quit claim of utilities	7 0703		
 -R-			
RCCP	6 0903		6.8
RCSP	6 0903		6.8
Rainfall distribution	6 1302.11		6.18
Rational formula	6 0803		6.4
Recreation:			
— Backless bench	8 0303		
— Equipment	2 0209		
— Metal bridge	8 0301		
— Typical bench	8 0302		
— Typical grill	8 0304		
— Typical picnic table	8 0305		
— Typical wheelchair accessible picnic table	8 0306		
Recycling System:	10 0300		
— Design Standards and Guidelines	10 0306		
— Nonresidential Properties	10 0304		
— Residential Properties	10 0303		
— Trash and Recycling Pad for Two Dumpsters Detail	10 0306.6	33 10	
— Waste Stream Calculation Worksheet and Statement	10 0305		
Retention and detention ponds	6 1305		
Retaining walls	2 0205		
Revision block	2 0211.3D	2 2	
Revisions	2 0211		
Rooftop storage	6 1302		
Rooftop storage, typical rainfall ponding ring sections	6 1302.10D	38 6	
Rooftop stormwater detention	6 1302.10D	37 6	
Roughness coefficients, pipe and culvert	6 0903		6.8
Runoff coefficients	6 0805		6.5
 -S-			
NRCS hydrology	6 0802		6.4
Sanitary sewer:			

INDEX

SUBJECT	SECTION	PLATE	TABLE
Abandonment and removal of existing.....	10-0102.11		
Acceptance tests.....	10-0105		
Air test table.....	10-0105.3H.....		10.8
As-built drawings.....	10-0104.6		
Building laterals.....	10-0104.5		
Bulkheads.....	10-0104.4		
Certificate to operate.....	10-0104.7		
Crushed section of pipe and slipped or leaking joint.....	10-0104.7E(4)&(5).....	28 10	
Design criteria.....	10-0100		
Design flow.....	10-0102.4A.....		10.1
Easements.....	10-0104.1B		
Hole in pipe above springline.....	10-0104.7E(1).....	25 10	
Hole in pipe below springline.....	10-0104.7E(2).....	26 10	
House lateral (spur).....	10-0104.5A.....	23 10, 24 10	
Jacking and boring/tunnel detail for highway crossing.....		30 10 & 31 10	
Steel Casing Pipe/Tunnel Detail.....		32 10	
House lateral spur.....		23 10	
Manhole depth.....	10-0102.5A(6)		
Maximum depth to invert without cradle.....	10-0103.7.....		10.5
Minimum depth.....	10-0103.10		
Minimum slope.....	10-0102.8G.....		10.2
Minutes converted to seconds.....	10-0105.3H.....		10.9
Peak flow curve, 0 to 1 MGD.....	10-0102.4B.....	1 10	
Peak flow curve, 1 and greater MGD.....	10-0102.4B.....	2 10	
Pipe with crack or shear.....	10-0104.7E(3).....	27 10	
Plan preparation.....	10-0104		
Pressure, equivalent water height.....	10-0105.3D.....		10.7
Structural.....	10-0103.....		10.3
Structural repairs.....	10-0104.7B		
TV inspection.....	10-0104.7A		
Test plug.....	10-0105.5B.....	29 10	
Trench width.....	10-0103.6.....		10.4
Vacuum testing.....	10-0105.6		
Scale, plats and plans.....	2-0201		
Service drive.....	7-0104		
Set aside letters.....	2-0601.4B(3)		
Sewage (septic) disposal systems.....	10-0200		
Shape factor for lots.....	2-0212.21		
Sidewalks.....	8-0100		
Site plan information.....	2-0100		
Site plan submission.....	2-0202		
Sight distance.....	7-0405.....		7.6
Size, plats and plans.....	2-0201		
Soccer design information.....	8-0300.....	44 8	
Softball infield.....	8-0300.....	22 8	
Soil:			
Profile and test data.....	11-0408.8		
Report.....	4-0300		
Engineering test data.....	11-0408.8		
Generalized stratigraphic profile of County soils.....		5 11	
Information.....	2-0109		
Map of the County.....	11-0408.1.....	3 11	

INDEX

SUBJECT	SECTION	PLATE	TABLE
— Map of the County, symbols	11 0408.11	4 11	
— Soils of the County	11 0408		
— Soils of the County, numerical index	11 0408.10		11.2
Solid waste disposal	10 0300		
Solid waste plan	10 0301		
Spread of flow into streets	6 1103.2		
Stop signs, typical detail for wood post	7 0107	18A-7	
Stop signs, typical locations	7 0107	18B-7	
Storm drainage:	6 0000		
— Drainage in residential areas	6 1108		
— Guidelines for major drainage system	6 1501		
— Major on-site system	6 1500		
— Major system design calculations	6 1502		
— Metric requirements	6 0103		
— Policy of what may be done in CBPA	6 1700		
— VDOT standards	1 0602		
Storm sewer:			
— Appurtenances	6 1100		
— Construction specifications	6 1111		
— Junctions, energy losses	6 0904.5C	13-6	
— Junctions, energy losses	6 0904.5C	14-6	
Storm sewer pipe:			
— Access openings	6 0902.2D		
— Closed conduit systems	6 0900		
— Concrete pier	6 0902	11-6	
— Concrete, minimum radius of curvature	6 0906		6.9
— Culverts	6 1200		
— Minimum cover	6 0902.2H		
— Minimum easement width	6 0902.2I		6.7
— Pipe and culvert materials	6 0903		6.8
— Prefabricated bend sections	6 0902.2F	10-6	
— Prefabricated "T" & "Y"	6 0902.2E	9-6	
— Size	6 0902		
— Size, VDOT	6 0902.2A		
— Size reduction	6 0902.2G		
Storm volume in inches of rainfall	6 1301		6.23
Stormwater detention:			
— Height	6 1601.1	46-6	
— Location of facilities	6 0303		
— Measures	6 0302		
— Policy	6 0300		
— Underground facilities	6 0303.8		
Stormwater facility, notice of location	6 1305.7F	41B-6	
Stormwater management maintenance			
design considerations	6 1306		
Stormwater retention, detention, and low impact development			
facilities	6 1300		
Stormwater runoff quality control criteria	6 0400		
Street:			
— Access	7 0502		
— Area classification	7 0306.1		7.3
— Collector street system	7 0304		

INDEX

SUBJECT	SECTION	PLATE	TABLE
Construction	7 0105		
Construction, plan and profile preparation	7 0404		
Crossover spacing and sight distance	7 0405.8		
Cul de sac temporary sign	7 0404.12	18C 7, 18D 7	
Curb cut ramps	7 0401		
Dedication	7 0102		
Design	7 0101		
Entrances	7 0403, 7 0503		
Functional classifications	7 0300		7.2
General policies	7 0100		
Guardrails	7 0402		
Local street system	7 0305		
Minor arterial street system	7 0303		
Name abbreviations	7 0107.8		7.1
Noise abatement facilities	7 0106		
Pavement design	7 0500		
Plan and profile requirements	7 0400		
Planning, preliminary	7 0200		
Plans, other information to be shown	7 0406		
Principal arterial street system	7 0302		7.2A
Private	7 0502		
Private street note	7 0406.15, 2 0201.8		
Residential Traffic Administration Program (RTAP)	7 0101.5		
Road classification	7 0306.2		7.4
Service drive	7 0104		
Shoulder stabilization at intersections	7 0105.1	13 7	
Sight Distance	7 0405		
Signs	7 0107		
Standard for cul de sac and "Y" turnaround	7 0101	7 7	
Standard typical section for 2 lane street without curb & gutter	7 0101	1 7	
Standard typical section for multi lane street with curb & gutter	7 0101	3 7	
Standard typical sections for private streets, townhouse, patios, garden court	7 0101	4 7	
Standard typical section for undivided streets with curb & gutter	7 0101	2 7	
Standard typical section for R-C cluster subdivision streets	7 0101	6 7	
Standard typical street, construction section for service drives with curb & gutter	7 0103	12 7	
Stub	7 0702		
Traffic calming and cut through	7 0101.5		
Traffic counts	7 0204		
Trip generation	7 0202		
VDOT policy on acceptance of subdivision streets	7 0700		
Street Entrances:	7 0403		
Standard driveway, no curb & gutter	7 0503	22 7	
Pipestem lots, ditch	7 0101	10 7	
Pipestem lots, curb & gutter	7 0101	11 7	
Street Lights:	7 1000		
Authorization and procedures	7 1003		

INDEX

SUBJECT	SECTION	PLATE	TABLE
Equivalent light source	7 1004.2E		7.8
Lighting level Requirements			
for existing streets	7 1004.3		7.9, 7.9A
for proposed C&G streets, /rf sm (HPS, MV)	7 1004.3A		7.10, 7.10A
for proposed C&G streets, alternative security, RF 3			7.11, 7.11A
Luminaire Style	7 1004		
Cobra head	7 1004.1A(1)	30 7	
Colonial	7 1004.1A(2)	32 7	
Special Interstate	7 1004.1A(3)	31A 7	
Nonstandard street lighting system	7 1005		
Required Contribution	7 1004.2E		
Standard roadway fixture			
for curb & gutter roads	7 1004.6B	31 7	
for ditch section roads	7 1004.6A	30 7	
Streetlight Source	7 1004		
High Pressure Sodium (HPS)	7 1004.2		7.9, 7.10, 7.11
Mercury Vapor (MV)	7 1004.2		7.9A, 7.10A,
.....			7.11A
Typical lighting layout			
No. 1 (residential subdivision with lots < 18,000 ft ²)	7 1002.1A	25 7	
No. 2 (residential subdivision with lots >or= 18,000 ft ²)	7 1002.1B	26 7	
No. 3 (commercial/industrial subdivision)	7 1002.2C	27 7	
No. 4 (site plans)	7 1002.3B	28 7	
No. 5 (planned development)	7 1002.4D	29 7	
Street name abbreviations	7 0107.8		7.1
Street name sign:			
Alternate post anchoring detail for round post	7 0107	16 7	
Bracket and plate, standard aluminum	7 0107	15 7	
Specifications for cantilevered pole mounted street name sign wing bracket	7 0107.7	18 7	
Standard aluminum cantilevered pole mounted			
Street name wing bracket	7 0107	17 7	
Standard post mounted	7 0107	14 7	
Temporary Cul-de-sac sign	7 0404.12A	18C-7 & 18D-7	
Street system:			
Local	7 0305		
Minor arterial	7 0303		
Principal arterial	7 0302		7.2A
Subdivision plan information	2 0100		
Subdivision plan submission	2 0202		
Subdivision road pavements	7 0501		
T			
Tennis, top of practice wall fence post	8 0300	39 8	
Tennis court:			
Design information	8 0300	41 8	
Fence post	8 0300	32 8	
Layout	8 0300	30 8	
Net & cross section details	8 0300	31 8	
Paving detail	8 0300	33 8	
Tennis practice court:			
Design information	8 0300	40 8	

INDEX

SUBJECT	SECTION	PLATE	TABLE
— Layout	8 0300	34 8	
Tennis practice wall:	8 0300	35 8	
— Attachment	8 0300	37 8, 38 8	
— Elevation	8 0300	36 8	
Time of concentration of small drainage basins	6 0803.3C(1)	4 6, 5 6	
Topography	2 0107		
Tot lot equipment layout	8 0300	18 8	
Tot swinging devices layout	8 0300	19 8	
Traffic:			
— Counts	7 0204		
— Flow characteristics	7 0203		
— Standard barricade	7 0406.10	20 7	
Trails:	8 0200		
— 2 way bike path in off street location	8 0202	8 8	
— Access through barricade	8 0202	9 8	
— Bollard	8 0202	12 8	
— Bollard direct bury	8 0202	13 8	
— Cable barricade elevation	8 0202	10 8	
— Clearing	8 0202	7 8	
— Cross sections, Type I & II	8 0202	4 8	
— Cross sections, Type IV & VI	8 0202	5 8	
— Cross section, Type VII	8 0202	6 8	
— Easement widths	8 0202.2C		8.2
— Fair weather stream crossing	8 0202.9C	17 8	
— FCPA land	8 0203		
— Grade	8 0202.4		8.3
— Handrail detail	8 0202.10	17A 8	
— Location	8 0202.2		
— Maintenance and operation jurisdiction	8 0203.2G		8.4
— Post sleeve connection	8 0202	15 8	
— Red reflector on cable	8 0202	11 8	
— Removable locking bollard	8 0202	14 8	
— Standards and criteria	8 0203.2		
— Surface and width	8 0202.1B		8.1
Trash and recycling	10 0300	33 10	
Trees:			
— Canopy	12 0512		12.4, 12.10
— Condition Standards	12 0403		
— Conservation plan requirements	2 0111, 12 0500		
— Critical root zones and driplines of trees	12 0506.2D	2 12	
— Deck Planter	12 0514.3	5 12	
— Endangered or unique forest communities	12 0510.3B		12.5
— Energy conservation tree canopy credit	12 0509.4B(2)	4 12	
— Environmental tolerance codes			12.16
— Establishment of Tree Commission	12 0300		
— Existing vegetation map	12 0506		12.2
— Forested area condition standards	12 0404		
— Forest management plan for commercial forests	12 0517		
— Interior parking lot landscaping	12 0515		12.11
— Inventory and Condition Analysis	12 0506		1A 12, 1B 12
— Land clearing operations	12 0702		
— Landscape Plans	12 0515		

INDEX

SUBJECT	SECTION	PLATE	TABLE
— Material stock size specifications	12-0515.1H		12.13
— Minimum forested area size and dimensions	12-0404.4		12.1
— Multipliers for heritage, specimen, memorial and street	12-0510.3B		12.6
— Planting tree seedlings, without staking/guying	12-0705.5F	8-12	
— Preconstruction	12-0701		
— Preservation design standards	12-0402		
— Preservation target	12-0508		12.3
— Problems	12-0510.3D, 12-0510.4		12.7, 12.8, 12.9
— Protection fence installation	12-0703.1B	6-12	
— Pruning cuts	12-0706.4A	9-12	
— Replacement and replanting	12-0516		12.14
— Root pruning	12-0802.1	7-12	
— Schedule	12-515.1E		12.12
— Selection and 10-year tree canopy cover guide	12-0600		12.17
— Standards for field practice	12-7800		
— Ten-year tree canopy requirements	12-0510		
— Ten-year tree canopy calculations	12-0511		
— Treatment of trees and forested areas during construction	12-0704		
— Tree banking and tree fund	12-0512		
— Tunneling detail	12-0402.1		3-12
Tree Commission	12-0300		
-U-			
Underground installation, utilities	2-0402		
Unit flow hydrograph, 2-year, 2-hour storm	6-1305.8B(1)	42-6	6.6
Unit hydrograph per impervious acre, 100-year storm	6-1303.7B	41-6	6.6
Unit inflow hydrograph, 10-year, 2-hour storm, 1 impervious acre	6-1303.7B	40-6	6.6
Utilities	2-0400		
Utility locations, water, gas & sewer	7-1100	33-7	
Underground transmission lines:			
— Depiction on plans	2-0404		
— General requirements/notification	2-0201		
— Off-street surface parking facilities	7-0803		
-V-			
VCPX	6-0903		6.8
VDOT standards	1-0602		
Vacuum testing	10-0105.6		
Vegetation:			
— Existing vegetation map (EVM) preparation	12-0506		12.2
— Preservation design standards	12-0402		
— Tree and forested area protection	12-0703		
— Tree and shrub planting	12-0705		
Velocity head, closed conduit	6-0904		12.6
Violations procedures	2-0900		
-W-			
Waivers:			
— 50% phosphorus removal requirement in WSPOD	6-0401.1		
— BMPs	6-0401.2E		
— Compensatory excavation when filling in a floodplain	6-0704.4		

INDEX

SUBJECT	SECTION	PLATE	TABLE
Dustless surface.....	7 0504		
Fire flow.....	9 0202.1B		
Fire protection procedures.....	9 0202.2I		
Public parkland development conditions.....	2 1101.3C		
Stormwater management.....	6 0301.3		
WQIA.....	6 1703.1		
Warning track.....	8 0300	29-8	
Water and fire regulations.....	9 0000		
Water supply, public.....	9 0100		
Water surface calculations.....	6 1404		
Water surface profiles.....	6 1001		
Water test table.....	10 0105.5H(2)		10.10 thru 10.16

~~X~~

~~Y~~

Yard inlets:.....	6 1104		
— Capacity at low point in grade.....	6 1104.1	31-6	
— Standard.....	6 1104.4	32-6	
— Typical concrete apron.....	6 1104.4	33-6	
— Modified yard inlet (single throat).....	6 1104.4	72-6	
— Top detail modified yard inlet (single throat).....	6 1104.4	73-6	
— Modified yard inlet (double throat).....	6 1104.4	74-6	
— Top detail modified yard inlet (double throat).....	6 1104.4	75-6	
Yield signs, typical detail for wood post.....	7 0107	18A-7	
Yield signs, typical locations.....	7 0107	18B-7	

~~Z~~